



1.

Figure 1




Figure 1 shows the speed-time graph of a cyclist moving on a straight road over a 7 s period. The sections of the graph from  $t = 0$  to  $t = 3$ , and from  $t = 3$  to  $t = 7$ , are straight lines. The section from  $t = 3$  to  $t = 7$  is parallel to the  $t$ -axis.

State what can be deduced about the motion of the cyclist from the fact that

(a) the graph from  $t = 0$  to  $t = 3$  is a straight line, (1)

(b) the graph from  $t = 3$  to  $t = 7$  is parallel to the  $t$ -axis. (1)

(c) Find the distance travelled by the cyclist during this 7 s period. (4)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---








4.

Figure 2



A particle  $P$  of mass 0.5 kg is on a rough plane inclined at an angle  $\alpha$  to the horizontal, where  $\tan \alpha = \frac{3}{4}$ . The particle is held at rest on the plane by the action of a force of magnitude 4 N acting up the plane in a direction parallel to a line of greatest slope of the plane, as shown in Figure 2. The particle is on the point of slipping up the plane.

(a) Find the coefficient of friction between  $P$  and the plane. (7)

The force of magnitude 4 N is removed.

(b) Find the acceleration of  $P$  down the plane. (4)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---





5.

Figure 3



A steel girder  $AB$  has weight  $210\text{ N}$ . It is held in equilibrium in a horizontal position by two vertical cables. One cable is attached to the end  $A$ . The other cable is attached to the point  $C$  on the girder, where  $AC = 90\text{ cm}$ , as shown in Figure 3. The girder is modelled as a uniform rod, and the cables as light inextensible strings.

Given that the tension in the cable at  $C$  is twice the tension in the cable at  $A$ , find

(a) the tension in the cable at  $A$ , (2)

(b) show that  $AB = 120\text{ cm}$ . (4)

A small load of weight  $W$  newtons is attached to the girder at  $B$ . The load is modelled as a particle. The girder remains in equilibrium in a horizontal position. The tension in the cable at  $C$  is now three times the tension in the cable at  $A$ .

(c) Find the value of  $W$ . (7)

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---



Question 5 continued

A large section of the page contains horizontal lines for writing, intended for the continuation of Question 5.

(Total 13 marks)

Q5

--	--











