


## G481 Mechanics

Question		Expected Answers	Marks	Additional Guidance	
1	(a)	Correct lines from: <ul style="list-style-type: none"> <li>• joule (J) to N m</li> <li>• watt (W) to <math>\text{J s}^{-1}</math></li> <li>• newton (N) to <math>\text{kg m s}^{-2}</math></li> </ul>	B2	<b>Note:</b> 2 marks for all correct 1 mark for two correct 0 marks for none or one correct	
	(b)	(i)	weight in the range 200 to 1200 (N)	B1	
		(ii)	area in the range 0.01 to 0.08 ( $\text{m}^2$ )	B1	
		(iii)	pressure = (b)(i)/b(ii)	B1	<b>Allow:</b> 1 sf answer
		<b>Total</b>		<b>5</b>	



Question		Expected Answers	Marks	Additional Guidance
2	(a)	$W = mg$ weight = $1.50 \times 9.81 = 14.72$ (N) or 14.7 (N) or 15 (N)	B1	<b>Allow:</b> Use of 9.8 ( $\text{m s}^{-2}$ ) <b>Allow:</b> Bald 15 (N); but <b>not</b> ' $1.50 \times 10 = 15(\text{N})$ '
	(b)	(i)	B1	<b>Note:</b> Must have reference to force
		(ii)	C1 C1 A1	<b>Allow:</b> 2 marks for 1.75/1.09' if answer from (iii) is used <b>Allow:</b> 2 sf answer <b>Allow:</b> 2 marks if <b>2.80 m</b> is used; time = 2.27 (s)
		(iii)	C1 A1	Possible ecf <b>Allow:</b> 1.7 or 1.8 ( $\text{m s}^{-1}$ )
		(iv)	C1 A1	Ignore sign for change in velocity <b>Allow:</b> 130 ( $\text{m s}^{-2}$ ) ----- <b>Special case:</b> acceleration = $\frac{2.47 - 1.50}{0.030} = 32.3$ or 32 ( $\text{m s}^{-2}$ ) scores 1 mark
		<b>Total</b>	<b>9</b>	

Question		Expected Answers	Marks	Additional Guidance
3	(a)	mass = $140 \times 3.0$ (= 420 kg)	B1	<b>Allow:</b> $\frac{420}{3.0} = 140$ (reverse argument)
	(b) (i)	total mass = $500 + 560 + 420$ (= 1480 kg) total weight = $1480 \times 9.8(1)$ / total weight = 14520 (N) net force = $1480 \times 1.8$ / net force = 2664 (N) tension = $14520 + 2664$ tension = $1.7(2) \times 10^4$ (N)	C1 C1 C1 C1 A0	<b>Note:</b> Omitting one of the masses – can score maximum of 3 Omitting two masses – can score maximum of 2  <b>Examples:</b> 3 marks if mass of cable is omitted tension = $1908 + 10400 = 1.23 \times 10^4$ (N) 2 marks if mass of cable and people are omitted tension = $900 + 4905 = 5.8 \times 10^3$ (N)  <b>Note:</b> 4 marks for 'tension = $(m(g + a) =) 1480 \times (9.81 + 1.8)$ '
	(ii)	stress = $\frac{1.72 \times 10^4}{3.8 \times 10^{-4}}$ / stress = $\frac{(b)(i)}{3.8 \times 10^{-4}}$ stress = $4.5(3) \times 10^7$ (Pa)	C1 A1	Possible ecf from (i)  <b>Note:</b> A tension of $1.7 \times 10^4$ (N) gives an answer of $4.4(7) \times 10^7$ (Pa)
<b>Total</b>			<b>7</b>	

Question		Expected Answers	Marks	Additional Guidance
4	(a)	The mass (of the electron) increases as its speed approaches $c$ / <u>speed of light</u> / $3 \times 10^8 \text{ m s}^{-1}$	M1 A1	<b>Not:</b> mass 'changes' / 'electron becomes heavier'
	(b)	(i) A line with correct arrow in the y direction has length of 14 to 16 'small squares'  A line with correct arrow in the x direction has length of 24 to 26 'small squares'	B1  B1	<b>Note:</b> If correct arrows are not shown, then maximum mark is 1
		(ii) component = $(8.0 \cos 31) = 6.86 \text{ (m s}^{-1}\text{)}$ or $6.9 \text{ (m s}^{-1}\text{)}$	B1	<b>Allow:</b> 6.85 as BOD
	(c)	(i) Correct vector triangle drawn    $(\text{resultant force})^2 = 2.14^2 + 1.50^2$  resultant force = 2.61 (kN)	B1  C1  A1	<b>Note:</b> Expect at least one 'label' on the sketch, eg: 2.14, 1.5, $90^\circ$ The 'orientation' of the triangle is not important The directions of all three arrows are required  <b>Allow:</b> 2 sf answer of 2.6 (kN) <b>Allow</b> a scale drawing; 2 marks if answer is within $\pm 0.1 \text{ kN}$ and 1 mark if $\pm 0.2 \text{ kN}$ <b>Alternative</b> for the C1 A1 marks: $1.50 \cos(55)$ or $2.14 \cos(35)$ C1 resultant force = $1.50 \cos(55) + 2.14 \cos(35)$ resultant force = 2.61 (kN) A1
		(ii) 2.6(1) (kN)  (Constant velocity implies) zero <u>net</u> force / zero acceleration	B1  B1	Possible ecf  <b>Not:</b> ' <i>resultant force = drag</i> ' since the first B1 assumes this
		<b>Total</b>	<b>10</b>	

Question	Expected Answers	Marks	Additional Guidance
5 (a)	Energy cannot be created or destroyed; it can only be transferred/transformed into other forms or The (total) energy of a system remains constant or (total) initial energy = (total) final energy (AW)	B1	<b>Allow:</b> 'Energy cannot be created / destroyed / lost'
(b)	Any suitable example of something strained (eg: stretched elastic band)	B1	
(c) (i)	$E_p = mgh$ <u>and</u> $E_k = \frac{1}{2}mv^2$ (Allow $\Delta h$ for $h$ )	B1	<b>Not:</b> $E_k = mgh$
(ii)	$mgh = \frac{1}{2}mv^2$ $v^2 = 2gh$ or $v = \sqrt{2gh}$	B1 B1	
(d) (i)	$m = \rho V$ $m = 1.0 \times 10^3 \times (1.2 \times 10^{-2} \times 2.0 \times 10^7)$ mass of water = $2.4 \times 10^8$ (kg)	C1 C1 A0	<b>Allow</b> any subject for the density equation
(ii)	loss in potential energy = $2.4 \times 10^8 \times 9.81 \times 2.5 \times 10^3$  30% of GPE = $0.3 \times 5.89 \times 10^{12}$ ( $= 1.77 \times 10^{12}$ )  power = $\frac{1.77 \times 10^{12}}{900}$  power = $1.9(63) \times 10^9$ (W) ( $\approx 2$ GW)	C1 C1 C1 A0	<b>Allow</b> 1 mark for ' $5.89 \times 10^{12}$ (J)'  <b>Allow</b> 2 marks for ' $1.77 \times 10^{12}$ (J)'  <b>Note:</b> $\frac{5.89 \times 10^{12}}{900}$ ( $= 6.5$ GW) scores 2 marks
(iii)	Any correct suitable suggestion; eg: the energy supply is not constant/ cannot capture all the rain water / large area (for collection)	B1	<b>Note:</b> Do not allow reference to 'inefficiency' / 'cost'
	<b>Total</b>	<b>11</b>	

Question	Expected Answers	Marks	Additional Guidance
6 (a)	The graph shows length and not extension of the spring / spring has original length (of 2.0 cm) (AW)	B1	<b>Allow:</b> 'length cannot be zero'
(b)	Straight line (graph) / linear graph / force $\propto$ <u>extension</u> / constant gradient (graph)	B1	<b>Not</b> 'force $\propto$ <u>length</u> '
(c)	force constant = $\frac{2.0}{0.04}$ force constant = 50 (N m <sup>-1</sup> )	C1 A1	<b>Note:</b> The mark is for any correct substitution <b>Allow:</b> 1 mark for 0.5 (N m <sup>-1</sup> ) – 10 <sup>n</sup> error <b>Allow</b> 1 mark for $5/12 \times 10^{-2} = 41.7$ or $4/10 \times 10^{-2} = 40$ or $3/8 \times 10^{-2} = 37.5$ or $2/6 \times 10^{-2} = 33.3$ or $1/4 \times 10^{-2} = 25$
(d)	work done = $\frac{1}{2}Fx$ or $\frac{1}{2}kx^2$ or 'area under graph'  work done = $\frac{1}{2} \times 3.0 \times 0.06$ or $\frac{1}{2} \times 50 \times 0.06^2$  work done = 0.09 (J)	C1  A1	  Possible ecf  <b>Note:</b> 1 sf answer is allowed
(e)	Find the gradient / slope (of the tangent / graph)  Maximum speed at 1.0s / 3.0s / 5.0s / steepest 'part' of graph / displacement = 0	B1  B1	  <b>Allow:</b> 2 marks for 'steepest / maximum gradient'
	<b>Total</b>	<b>8</b>	

Question		Expected Answers	Marks	Additional Guidance
7	(a)	(i)	B1	<b>Allow:</b> it has 'same force but thinner/smaller area' <b>Not:</b> Thin / small area
		(ii)	B1	<b>Note:</b> Need reference to force or stress removed <b>Allow:</b> '.. does not return to original size / shape / length when force / stress is removed'
	(b)	<p><b>Measurement:</b>   Diameter            Any <u>two</u> from:</p> <ul style="list-style-type: none"> <li>• original / initial length (<b>Not:</b> final length)</li> <li>• extension / initial <u>and</u> final lengths</li> <li>• weight / mass</li> </ul> <p><b>Equipment:</b>   Micrometer / vernier (calliper) (for the diameter of the wire)            Any <u>two</u> from:</p> <ul style="list-style-type: none"> <li>• Ruler / (metre) rule / tape measure (for measuring the original length / extension)</li> <li>• Travelling microscope (for measuring extension)</li> <li>• Scales / balance (for measuring the mass &amp; <i>mg</i> equation is used or for measuring weight) / Newtonmeter (for the weight of hanging masses) / 'known' weights used</li> </ul> <p><b>Determining Young modulus:</b></p> <ul style="list-style-type: none"> <li>• stress = force/(cross-sectional) area <u>and</u> strain = extension/original length</li> <li>• Young modulus = stress/strain / Young modulus is equal to the gradient from stress-strain graph (in the linear region)</li> </ul>	<p>B1</p> <p>B1 X 2</p> <p>B1</p> <p>B1 x 2</p> <p>B1</p> <p>B1</p>	<p><b>The term <i>diameter</i> to be included and spelled correctly to gain the mark</b></p> <p><b>The term <i>micrometer / vernier (calliper)</i> to be included and spelled correctly to the gain mark. (ALLOW: Micrometer is used to measure area / radius / thickness – as BOD)</b></p> <p><b>Allow:</b> 'known masses &amp; <i>mg</i> equation' but <b>not</b> 'known masses'</p> <p><b>Allow:</b> stress = <math>F/A</math> <u>and</u> strain = <math>x/L</math></p> <p><b>Special case for determining Young modulus:</b>            Gradient from force-extension graph is <math>\frac{EA}{L}</math> B1            Young modulus = gradient <math>\times L/A</math> B1</p>
<b>Total</b>			<b>10</b>	