

General Certificate of Secondary Education

Chemistry 4421

CHY3H Unit Chemistry 3

Mark Scheme

2011 examination – June series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the candidates' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of candidates' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of candidates' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2011 AQA and its licensors. All rights reserved.

COPYRIGHT

AQA retains the copyright on all its publications. However, registered centres for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to centres to photocopy any material that is acknowledged to a third party even for internal use within the centre.

Set and published by the Assessment and Qualifications Alliance.

MARK SCHEME

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening

- In a list of acceptable answers where more than one mark is available 'any **two** from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of or. (Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.)

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which candidates have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

Candidate	Response	Marks
		awarded
1	4,8	0
2	green, 5	0
3	red*, 5	1
4	red*. 8	0

Example 2: Name two planets in the solar system. (2 marks)

Candidate	Response	Marks awarded
1	Pluto, Mars, Moon	1
2	Pluto, Sun, Mars,	0
	Moon	

3.2 Use of chemical symbols / formulae

If a candidate writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

Question 1

question	answers	extra information	mark
1(a)(i)	Mountain View: (65+35 =)100		1
	Valley Croft: (16+14 =) 30		1
	OR		
	Mountain View Ca (65) is about 4 times Valley Croft (Ca 16) (1)		
	Mountain View Mg (35) is about twice Valley Croft (Mg 14) (1)		
		ignore other ions unless used in another calculation or calculations. In this case the list principle applies if no other mark awarded either:	
		Ca 65 compared with Ca 16 and Mg 35 compared with Mg 14 gains 1 mark	
		or	
		difference in Ca (65 – 16) = 49 and Mg (35 – 14) = 21 gains 1 mark	
1(a)(ii)	shake / stir / swirl (water with soap)	allow mix ignore add / use soap / titrate	1
	(about) 3 × the scum / precipitate / solid (compared with Valley Croft)	accept (about) 3 × volume / drops / amount / quantity of soap solution for (permanent) lather (compared with Valley Croft)	1
		ignore scale / time	
	fair test: eg same volume / amount of water or shake for same amount of time or use same type / concentration of soap	allow same temperature do not accept same volume of soap	1
	. M	ignore repeat the experiment	

Question 1 continues on the next page

Question 1 continued

question	answers	extra information	mark
1(b)	or good for heart	allow contains calcium (ions / compounds) ignore magnesium or charge on the calcium ion do not accept any other ions	1
1(c)	 any one from: produces scale / limescale / calcium carbonate / magnesium carbonate produces scum 	ignore health effects allow fur for scale	1
	 more soap needed costs more to soften water (scale) lowers efficiency of appliances 	allow doesn't lather easily ignore detergent allow costs if qualified ignore just damage to pipes	
1(d)(i)	water / everything is made of / contains chemicals or water contains named ion from the label	accept company (probably) means water contains no added substances ignore water has not been treated	1
1(d)(ii)	Valley Croft scientists may be biased / vested interest	accept Food Standards Agency / independent scientists (more likely to be) unbiased allow Valley Croft scientists may falsify results ignore accuracy / reliability / fairness / validity	1
Total			9

Question 2

question	answers	extra information	mark
2(a)(i)	(copper) stops barnacles / seaweed (sticking)	it = copper accept lead doesn't stop barnacles / seaweed (sticking)	1
		ignore all other properties	
2(a)(ii)	(Muntz Metal) is less expensive / cheaper / cheapest	it = Muntz Metal must be a comparison accept copper is more expensive ignore other properties	1
2(b)(i)	atomic absorption spec(troscopy) / spectrometry or mass spec(trometry) / spectroscopy	accept spectroscopy / spectrometry alone allow AAS / MS do not allow NMR spectroscopy or IR spectrometry or chromatography	1
2(b)(ii)	sensitive or detect (very) small amounts or only small sample needed	it = instrumental method allow (more) precise ignore accurate allow converse for chemical method ignore metal contains small amount / low concentration of iron	1
2(c)	 any two from: unreactive / not very reactive strong / hard malleable / easy to shape 	transition elements (= they) allow does not corrode ignore reference to rust ignore tough / durable / hard wearing ignore ductile / density / melting point	2
Total			6

Question 3

question	answers	extra information	mark
3(a)	Group O / 8	accept transition elements / metals	1
	or noble / rare / inert gases	apply list principle	
3(b)	(chemically) similar elements (now) in the same group / column	accept iodine has properties of Group 7 / halogens or iodine does not have group 6 properties or converse for tellurium ignore 'it fits the pattern' or any reference to proton / atomic numbers / atomic structure	1
3(c)	any three from:	ignore not enough evidence / proof or Mendeleev not respected	3
	(some) boxes had <u>two</u> elements	allow two correctly identified elements together (in the same box)	
	Group 1: copper / silver unreactive (not like the others)	allow copper / silver not alkali metals / Group 1	
	 there are non-metals and metals in the same group / box 	accept named examples	
	Mendeleev left spaces / gaps	accept (some chemists thought) there were no more elements to discover	
	 Medeleev reversed the order (for some elements) 		

Question 3 continues on the next page

Question 3 continued

question	answers	extra information	mark
3(d)	any two from:	ignore mass number / atomic weight / neutrons throughout	2
	 elements arranged in proton / atomic number order group: elements in same group / column have same 	allow number of protons / electrons increases across period	
	 number of outer electrons elements in same period / row have same number of (electron) shells / energy 	allow number of (electron) shells / energy level increase down group	
	levels	allow <u>electron</u> rings allow orbits	
Total			7

Question 4

question	answers	extra information	mark
4(a)	energy released from making (new) bonds is greater than the energy needed to break (existing) bonds	accept the energy needed to break (existing) bonds is less than the energy released in making (new) bonds	1
		do not accept energy needed to make bonds	
4(b)(i)	energy / heat of products less than energy of reactants	accept products are lower than reactants or reactants higher than products accept more energy / heat given out than taken in or less energy / heat taken in than given out	1
		accept energy / heat is given out / lost (to the surroundings) allow produce heat	
		ignore produce energy accept △H is negative or energy change / A is negative or B is less than C	
4(b)(ii)	B is (very) high / large	it = B ignore energy change C is high	1
4(b)(iii)		it = MnO ₂	
	(MnO ₂) catalyst (is added)	accept it is a catalyst	1
	or reaction catalysed (by MnO ₂)	do not accept MgO / magnesium oxide	
	which lowers activation energy or which lowers (energy change)	accept provides alternative / lower energy pathway	1
	В	if hydrogen peroxide is given as a catalyst instead of MnO ₂ penalise once only in question	

Question 4 continues on the next page

Question4 continued

question	answers	extra information	mark
4(c)	any two from:		2
	(chemicals) not mixed / stirred		
	heat / energy lost (from apparatus)		
	(apparatus) not insulated or no lid		
	low amount / mass / not enough MnO ₂ or low concentration H ₂ O ₂		
	thermometer read incorrectly	ignore other experimental error	
Total			7

CHY3H Question 5

question	answers	extra information	mark
5(a)(i)		incorrect test or no test = 0 mark	
		testing the solution or using blue litmus = 0 mark	
	(test ammonia / gas with red) litmus	accept any acid-base indicator with correct result	1
	(goes) blue		1
	OR		
	(conc.) HCI (1)		
	white fumes / smoke / solid (1)	allow white gas / vapour	
	OR		
	(test ammonia / gas with) Universal Indicator (1)		
	blue / purple (1)		
5(a)(ii)		incorrect test or no test = 0 marks	
	add barium chloride / BaCl ₂ (solution)	do not accept H ₂ SO ₄ added	1
	or add barium nitrate / Ba(NO ₃) ₂ (solution)	allow Ba ²⁺ solution / aqueous added	
	white precipitate / solid (formed)	allow white barium sulfate /	1
		ignore barium sulfate / BaSO ₄ alone	
5(b)(i)	fully / completely ionised / dissociated or hydrogen ions fully dissociated	accept has more ions than weaker acid / alkali of same concentration	1
		ignore strongly ionised	
		do not accept ions are fully ionised	
		ignore concentrated or reference to concentrations of ions	
	`	Question 5 continues on the nex	t page

Question 5 continued

question	answers	extra information	mark
5(b)(ii)	methyl orange	accept correct spelling only	1
		accept any strong acid-weak base indicator	
		do not allow phenolphthalein / litmus / universal indicator	
5(b)(iii)	32 × 0.05/1000 or 0.0016 (mole H ₂ SO ₄)	accept (0.05 x 32) = (V x 25) or 0.05 x 32 / 25	1
	(reacts with) 2 × 0.0016 or 0.0032 (mole NH ₃ in 25cm ³)	accept dividing rhs by 2 or multiplying lhs by 2	1
	(0.0032 × 1000/25 =) 0.128	allow ecf from previous stage	1
		correct answer 0.128 or 0.13 with or without working gains all 3 marks	
5(b)(iv)	2.176 or 2.18 or ecf from candidate's answer to (b)(iii)	correct answer with or without working	2
	or 2.55 if 0.15 moles used	if answer incorrect or no answer	
		0.128 × 17 or 0.13 x 17	
		or their (b)(iii) × 17	
		or 0.15 × 17 gains 1 mark	
Total			11

Question 6

question	answers	extra information	mark
6(a)(i)	(brown / red / orange / yellow) goes colourless / decolourised	ignore discoloured / goes clear do not accept incorrect initial colour	1
6(a)(ii)	(carbon carbon) double bond	accept triple / multiple bonds do not allow incorrect double bond	1
6(b)	CO ₂ : 6.6/44 or 0.15(mole)		1
	H ₂ O: 2.7/18 or 0.15(mole)		1
	CH ₂	ignore multiples	1
Total			5

The AQA UMS Conversion Calculator is available on the <u>Results statistics</u> page of the AQA Website