

# General Certificate of Secondary Education

Physics 4451

PHY3H Unit Physics 3

# **Mark Scheme**

2012 Examination – January Series

Mark schemes are prepared by the Principal Examiner and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation meeting attended by all examiners and is the scheme which was used by them in this examination. The standardisation meeting ensures that the mark scheme covers the students' responses to questions and that every examiner understands and applies it in the same correct way. As preparation for the standardisation meeting each examiner analyses a number of students' scripts: alternative answers not already covered by the mark scheme are discussed at the meeting and legislated for. If, after this meeting, examiners encounter unusual answers which have not been discussed at the meeting they are required to refer these to the Principal Examiner.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this Mark Scheme are available to download from the AQA Website: www.aqa.org.uk

Copyright © 2012 AQA and its licensors. All rights reserved.

#### COPYRIGHT

AQA retains the copyright on all its publications. However, registered school s / colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools / colleges to photocopy any material that is acknowledged to a third party even for internal use within the school / college.

Set and published by the Assessment and Qualifications Alliance.

The Assessment and Qualifications Alliance (AQA) is a company limited by guarantee registered in England and Wales (company number 3644723) and a registered charity (registered charity number 1073334). Registered address: AQA, Devas Street, Manchester M15 6EX

# Marking Guidance for Examiners GCSE Science Papers

#### 1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement and help to delineate what is acceptable or not worthy of credit or, in discursive answers, to give an overview of the area in which a mark or marks may be awarded.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example:

where consequential marking needs to be considered in a calculation;

or the answer may be on the diagram or at a different place on the script.

In general the right hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

#### 2. Emboldening

- 2.1 In a list of acceptable answers where more than one mark is available 'any two from' is used, with the number of marks emboldened. Each of the following lines is a potential mark.
- 2.2 A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3 Alternative answers acceptable for a mark are indicated by the use of or. (Different terms in the mark scheme are shown by a /; eg allow smooth / free movement.)

#### 3. Marking points

#### 3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error/contradiction negates each correct response. So, if the number of error/contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as \* in example 1) are not penalised.

Example 1: What is the pH of an acidic solution? (1 mark)

| Student | Response | Marks<br>awarded |
|---------|----------|------------------|
| 1       | 4,8      | 0                |
| 2       | green, 5 | 0                |
| 3       | red*, 5  | 1                |
| 4       | red*, 8  | 0                |

Example 2: Name two planets in the solar system. (2 marks)

| Student | Response                  | Marks awarded |
|---------|---------------------------|---------------|
| 1       | Pluto, Mars, Moon         | 1             |
| 2       | Pluto, Sun, Mars,<br>Moon | 0             |

#### 3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

#### 3.3 Marking procedure for calculations

Full marks can be given for a correct numerical answer, as shown in the column 'answers', without any working shown.

However if the answer is incorrect, mark(s) can be gained by correct substitution / working and this is shown in the 'extra information' column;

#### 3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

#### 3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward are kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation e.c.f. in the marking scheme.

#### 3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

#### 3.7 Brackets

(....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

| question  | answers  | extra information   | mark |
|-----------|--|---|------|
| 1(a)      | aluminium cannot be magnetised                                   | accept aluminium is not magnetic "it" refers to aluminium   | 1    |
|           |  | do <b>not</b> accept aluminium is not easily magnetised   |      |
|           |  | reference to conduction and aluminium negates mark  |      |
|           |  | iron can be magnetised is insufficient  |      |
| 1(b)(i)   | 10 to 50   | either order  | 1    |
| 1(b)(ii)  | (data is) anomalous  | accept does <b>not</b> fit the pattern it is an error is insufficient   | 1    |
| 1(b)(iii) | 21   | accept 22 do <b>not</b> accept any fraction of a turn ie 20.1   | 1    |
|           | secondary p.d. (just) larger than primary p.d.                   | accept output (just) larger than input/2V   | 1    |
|           | there must be more turns on the secondary coil than primary coil | do <b>not</b> accept coil for turns   |      |
| 1(c)      | to reduce/step-down the (input) p.d./voltage                     | mains p.d. is too high is insufficient  | 1    |
|           |  | step-down transformer is insufficient   |      |
|           |  | answers in terms of changing/<br>stepping-up current <b>or</b> fuse<br>blowing <b>or</b> not working with 230<br>volts are insufficient |      |
|           |  | any mention of step-up negates mark   |      |
|           |  | stepping down both voltage/p.d. and current negates mark  |      |
| Total     |  |   | 6    |

# Question 2

| question  | answers   | extra information                                | mark |
|-----------|---|--|------|
| 2(a)(i)   | ellipse/elliptical  | accept oval/ovoid                                | 1    |
|           |   | egg shape is insufficient                        |      |
| 2(a)(ii)  | gravitational attraction                                    | allow (force of) gravity                         | 1    |
| 2(0)(11)  | between the Sun and the                                     | allow force due to mass of the                   | •    |
|           | planet)   | planet <b>and</b> mass of the Sun                |      |
|           |   | the Sun is insufficient                          |      |
|           |   | do <b>not</b> accept references to weight        |      |
| 2(a)(iii) | arrow drawn from planet                                     |  | 1    |
|           | pointing towards the Sun                                    |  |      |
| 2(a)(iv)  | any <b>two</b> from:  |  | 2    |
|           | <ul> <li>mass of the planet</li> </ul>                      | size of the planet insufficient                  |      |
|           |   | do <b>not</b> accept references to weight        |      |
|           | <ul> <li>distance between the<br/>planet and Sun</li> </ul> | accept radius of orbit                           |      |
|           | <ul> <li>mass of the Sun</li> </ul>                         | size of Sun insufficient                         |      |
|           | • speed of planet   |  |      |
| 2(b)(i)   | YES   | no mark for this, mark is for reason             | 1    |
|           |   | does not score if NO is chosen                   | ,    |
|           | equal/close to the actual/true distances                    | accept (calculated) data is (generally) accurate |      |

Question 2 continues on the next page . . .

# PHY3H Question 2 continued . . .

| question  | answers   | extra information  | mark |
|-----------|---|--|------|
| 2(b)(ii)  | Ceres/discovery agrees/supports prediction or Ceres in predicted position accept Bode's Law | "it" refers to Ceres/discovery   | 1    |
|           | or<br>(now) think it's important  |  |      |
| 2(b)(iii) | idea of new evidence not<br>supporting/being in agreement<br>with existing law              | accept the idea of needing to modify the law to take account of the new data | 1    |
|           |   | do <b>not</b> accept the universe is expanding so (Bode's) data is invalid   |      |
|           |   | answers in terms of new technology are insufficient                          |      |
|           |   | answers in terms of making the law better/more reliable are insufficient     |      |
| Total     |   |  | 9    |

| question | answers   | extra information   | mark |
|----------|---|---|------|
| 3(a)     | magnetic field (lines) cut by coil  | accept throughout wire/turns for coil provided the meaning is clear magnet cuts the coil is insufficient current induced in coil is insufficient  | 1    |
|          | p.d. induced across (ends of)/in coil coil is part of a complete circuit  |   | 1    |
| 3(b)     | it is not moving p.d. is zero or magnetic field lines not being cut (by coil)   | reason only scores if first marking point awarded   | 1    |
| 3(c)(i)  | smallest change (in value) instrument can measure   | accept smallest vibration that can<br>be detected<br>do <b>not</b> accept it is the smallest<br>value that can be measured  | 1    |
| 3(c)(ii) | <ul> <li>any two from:</li> <li>stronger/more powerful magnet</li> <li>more turns (on the coil)</li> <li>or</li> <li>turns (of coil) pushed closer together</li> <li>less stiff spring</li> </ul> | accept (use a) heavier magnet bigger magnet is insufficient bigger coil is insufficient do <b>not</b> accept more coils of wire accept weaker spring do <b>not</b> accept smaller/looser spring | 2    |
| Total    |   |   | 8    |

| question | answers   | extra information   | mark |
|----------|---|---|------|
| 4(a)(i)  | two correct rays drawn  | 1 mark for each correct ray   | 2    |
|          | <ul> <li>ray parallel to axis from top of<br/>object and refracted through<br/>focus and traced back beyond<br/>object</li> </ul>                                 |   |      |
|          | ray through centre of lens and traced back beyond object  | 1 000   |      |
|          | ray joining top of object to<br>focus on left of lens taken to<br>the lens refracted parallel to<br>axis <b>and</b> traced back parallel<br>to axis beyond object |   |      |
|          | an arrow showing the position and correct orientation of the image for their rays   | to gain this mark, the arrow must go from the intersection of the traced-back rays to the axis <b>and</b> the image must be on the same side of the lens as the object and above the axis | 1    |
| 4(a)(ii) | (x) 3.0   | accept 3.0 to 3.5 inclusive   | 2    |
|          | or their image height object height correctly calculated  | allow 1 mark for correct<br>substitution into equation using<br>their figures<br>ignore any units   |      |
| 4(b)     | any <b>two</b> from: in a camera the image is: • real not virtual   | both parts of each marking point are required   | 2    |
|          | inverted and not upright  | accept upside down for inverted   |      |
|          | diminished and not magnified  | accept smaller and bigger   |      |
|          |   | accept converse answers but it must be clear the direction of the comparison  |      |
| Total    |   |   | 7    |

| question  | answers   | extra information  | mark |
|-----------|---|--|------|
| 5(a)(i)   | 3   |  | 1    |
| 5(a)(ii)  | 30 000 <b>or</b> 10 000 × their (a)(i) correctly calculated   |  | 1    |
| 5(a)(iii) | any <b>two</b> from: • frequency is above 20 000 (Hz)   | accept the frequency is 30 000   | 2    |
|           | <ul> <li>frequency is above the upper limit of audible range</li> <li>upper limit of audible range equals 20 000 (Hz)</li> <li>it is ultrasound/ultrasonic</li> </ul> | ignore reference to lower limit  |      |
| 5(b)(i)   | wave (partially) reflected at crack to produce <b>A</b> and end of bolt to produce <b>B</b>   | accept at both ends of the crack   | 1    |
| 5(b)(ii)  | 0.075 (m)   | allow <b>2</b> marks for time = 0.0000125<br>allow <b>1</b> mark for time = 0.000025<br>answers 0.15 <b>or</b> 0.015 <b>or</b> 0.09<br>gain <b>2</b> marks     | 3    |
|           |   | answers 0.18 <b>or</b> 0.03 gain <b>1</b> mark<br>the unit is not required but if given<br>must be consistent with numerical<br>answer for the available marks |      |
| Total     |   |  | 9    |

# **Question 6**

| question | answers   | extra information  | mark |
|----------|---|--|------|
| 6(a)     | 960 (Nm)  |  | 1    |
|          | see-saw is in equilibrium                                 | accept see-saw is balanced   | 1    |
|          |   | see-saw is stationary is insufficient  |      |
|          | (total) clockwise moments =                               | accept no resultant moment   | 1    |
|          | anticlockwise moment                                      | forces are balanced is insufficient  |      |
|          |   | an answer clockwise moments balance the anticlockwise moments gains 2 marks  |      |
| 6(b)(i)  | 600 (Nm)  |  | 1    |
| 6(b)(ii) | 375 (N) <b>or</b> their (b)(i) ÷ 1.6 correctly calculated | do <b>not</b> credit if (b)(i) is larger than 960 allow <b>1</b> mark for correct substitution <b>and</b> transformation ie 600 <b>or</b> their (b)(i) 1.6 1.6 | 2    |
| Total    |   |  | 6    |

**UMS Conversion Calculator** 

http://web.aqa.org.uk/UMS/index.php