# GCSE (9-1)

## **Physics A (Gateway Science)**

J249/04: Paper 4 (Higher Tier)

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

### Annotations available in RM Assessor

Annotation	Meaning
<b>√</b>	Correct response
X	Incorrect response
	Omission mark
BOD	Benefit of doubt given
CON	Contradiction
RE	Rounding error
SF	Error in number of significant figures
ECF	Error carried forward
L1	Level 1
L2	Level 2
L3	Level 3
NBOD	Benefit of doubt not given
SEEN	Noted but no credit given
I	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
1	alternative and acceptable answers for the same marking point
✓ <i>✓</i>	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
_	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

#### Mark scheme

June 2019

#### Subject-specific Marking Instructions

#### INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Physics A:

	Assessment Objective
A01	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

## June 2019

## For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question	Answer	Marks	AO element	Guidance
1	D✓	1	2.2	
2	A✓	1	1.2	
3	D✓	1	1.1	
4	B✓	1	1.1	
5	B✓	1	1.1	
6	B✓	1	1.1	
7	A✓	1	1.1	
8	B✓	1	1.1	
9	B✓	1	1.1	
10	A✓	1	1.1	
11	C✓	1	1.1	
12	B✓	1	2.1	
13	B✓	1	2.1	
14	D✓	1	2.1	
15	B✓	1	2.1	

Question		Answer	Marks	AO element	Guidance
16 (	(a)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.8 (kWh) award 3 marks	3		
		Recall (Energy transferred =) power x time ✓		1.2	ALLOW correct equation in any form ALLOW 200 x 4 or 200 x 4 x 60 x 60 or 200 x14400 or 200 x 4 x 60 or 0.2 x 4 x 60 x 60 or 0.2 x 14400 or 0.2 x 4 x 60 for one mark
		0.2 × 4 ✓		2.1	<b>ALLOW</b> 800 or 2 880 000 or 2880 or 48 000 or 48 for two marks
		(Energy =) 0.8 (kWh) ✓		2.1	
(	(b)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 38.28 (W) award 3 marks	3		
		Recall (Power =) potential difference x current $\checkmark$		1.2	ALLOW correct equation in any form
		12 × 3.19 ✓		2.1	
		(P =) 38.28 (W) ✓		2.1	ALLOW 38.3 (W) or 38 (W)

Q	uesti	ion	Answer	Marks	AO element	Guidance
17	(a)		As speed increases, (thinking) distance increases / ORA $\checkmark$	2	3.1a	<b>ALLOW</b> numerical values from graph, e.g. at 15 (m/s), td = 10m but at 30 (m/s) td = 20(m).
			<b>BUT</b> (thinking) distance is (directly) proportional to speed / as speed doubles, (thinking) distance doubles / linear relationship through the origin $\checkmark \checkmark$		3.2b	<b>ALLOW</b> numerical values from graph, e.g. at 15 (m/s), td = 10 (m) but at 30 (m/s) td = $2 \times 10 = 20$ (m) for 2 marks
	(b)	(i)	16 (m) √	1	3.1a	
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.67 (s) award 3 marks	3		
			Rearrangement to give Time = distance / speed $\checkmark$		1.2	
			Time = 16 / 24 ✓		2.1	ALLOW ECF from (b)(i)
			Time = 0.67 (s) (2 decimal places) ✓		2.1	<b>ALLOW</b> 0.6 or 0.7 or 0.66(6…) (s) for 2 marks <b>ALLOW</b> one mark for any calculated answer to 2dp
	(c)	(i)	(Driver under influence of) alcohol / drugs / tired / (named) distraction / ill / <u>old</u> -age / intoxication / high(er) speed ✓	1	1.1	IGNORE just age ALLOW increase in driver's reaction time
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 26 (m) award 2 marks (Stopping distance =) braking (distance) + thinking (distance) OR 16 OR 10 ✓	2	2×2.2	
			(sd =) 26 (m) ✓			

Question	Answer	Marks	AO element	Guidance
(d)	<ul> <li>Maximum 2 marks from:</li> <li>Higher speed increases braking distance ✓</li> <li>BUT</li> <li>Double speed quadruples braking distance / braking distance is (directly) proportional to the speed squared AW ✓ ✓</li> </ul>	3	2.1 3.1a x2	ALLOW numerical values from graph, e.g. at 10 (m/s), bd = 7.5 (m) but at 20 (m/s) bd = 30 (m). ALLOW numerical values from graph, e.g. at 10 (m/s), bd = 7.5 (m) but at 20 (m/s) bd = $4 \times 7.5$ (= 30m) for 2 marks
	<ul> <li>Maximum 2 marks from: (Idea that) higher speed (car has) more KE ✓</li> <li>BUT Double speed quadruples KE / KE is (directly) proportional to the speed squared / AW ✓✓</li> </ul>		2.1 3.1a x2	

C	Question		Answer	Marks	AO element	Guidance
18	(a)		Diagram showing correct refractions	2	2×1.2	If diagram is incorrect, maximum of one mark from: any rising line in air before the prism ✓ a line in the prism close to horizontal by eye and joining the exit ray ✓ IGNORE any arrows on rays
	(b)			2	2×1.2	One mark for each correct reflection of about 90° by eye IGNORE any arrows on rays
	(c)	(i)	(Filter X lets through) red, orange and yellow $\checkmark$	1	3.2b	DO NOT ALLOW any extra colours
		(ii)	(Filter Y absorbs) orange and yellow $\checkmark$	1	3.2b	DO NOT ALLOW any extra colours
	(d)	(i)	Any one from: Red (wall) absorbs all colours (in the light except red) ✓ (The wall) only reflects red light ✓	1	2.1	ALLOW there is no red in the coloured light to reflect / AW ALLOW (wall) cannot reflect other colours (of light)

## Mark scheme

Questi	on	n Answer		AO element	Guidance
	(ii)	Any two from: green ✓ blue ✓ indigo ✓ violet ✓ cyan ✓	1	2.1	<b>DO NOT ALLOW</b> orange / yellow / magenta
(e)	(i)	Ray of green light focused between lens and $F_R\checkmark$	1	1.2	
	(ii)	green has shorter wavelength or higher frequency (than red) / shorter wavelengths refract more / show a larger change in speed / green light slows down more (than red light) / AW / ORA ✓	1	2.1	IGNORE green (light) refracts more IGNORE just green (light) slows down
	(iii)	long sighted√ (Because lens is) convex/focusing/converging √	2	3.1a 3.2b	Mark independently

Qu	Question		Answer		AO element	Guidance
19	(a)	(i)	i) Neutron(s) ✓	1	1.1	IGNORE gamma
		(ii)	Any one from: Gravity ✓	1	1.1	ALLOW (high) gravitational field strength
			(very) high temperatures ✓ high pressure ✓			ALLOW hot (temperatures) / lots of heat IGNORE just heat
	(b)	(i)	Any one from: Both produce energy ✓ Both convert mass to energy / have a "loss" in mass ✓	1	1.1	
			Both produce neutrons ✓			
		(ii)	Any one from: In fusion nuclei join / in fission nuclei split/decay/break up / AW ✓	1	1.1	ALLOW atom IGNORE molecules / particles / ions
			fusion occurs at higher temperatures or pressures / fission occurs at lower temperatures or pressures $\checkmark$			<b>ALLOW</b> only fission reactors are used at present to produce electricity
			larger/heavier nucleus forms in fusion / smaller/lighter/daughter nuclei forms in fission $\checkmark$			
			more energy released in fusion / less energy released in fission $\checkmark$			
			fission causes a chain reaction / fusion does not cause a chain reaction $\checkmark$			
			fusion does not produce (radioactive) waste / fission does produce radioactive waste $\checkmark$			

Question	Answer	Marks	AO element	Guidance
(C)	Advantage - Any one from:         no carbon dioxide produced / does not contribute to         global warming/climate change/acid rain / no polluting         gases ✓         small quantities of fuel needed / (idea of) more energy         per unit mass ✓         fuel readily available ✓         will not run out as fast (as fossil fuels) ✓         to preserve fossil fuels ✓	2	2×1.1	ALLOW a named polluting gas IGNORE (idea of) ozone layer
	Disadvantage - Any one from: Radioactive/nuclear waste produced $\checkmark$ security of transport of fuel / waste $\checkmark$ expensive to build $\checkmark$ danger of exposure to radiation $\checkmark$ decommissioning is expensive $\checkmark$			<b>ALLOW</b> (idea of) risk from terrorists
	risk of accident (and after-effects)/uncontrollable (chain reaction) $\checkmark$ non-renewable $\checkmark$			ALLOW (idea of) explosion IGNORE just dangerous

Quest	tion	Answer	Marks	AO element 2×1.1	Guidance
20 (a)		<ul> <li>A.C. (transmitted in power lines) / (electrical/electron/particle) oscillations / AW ✓</li> <li>BUT Alternating currents/(electrical/electron/particle) oscillations produce (radio) waves/electromagnetic radiation ✓√</li> </ul>	2		
(b)		<ul> <li>(High voltage means) lower current ✓</li> <li>Less heating/heat loss/power loss/energy wasted or more useful energy transmitted / ORA ✓</li> </ul>	2	2×1.1	IGNORE no energy losses / prevent energy loss / AW ALLOW more efficient / (wires at) lower temperature
(C)		FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 20 (A) award 5 marks Recall $I^2 = P / R \checkmark$ 6.156 kW = 6156 W $\checkmark$ ( $I^2 =$ ) 6156 / 15.39 OR ( $I^2 =$ ) 400 $\checkmark$ ( $I =$ ) $\sqrt{400} \checkmark$ ( $I =$ ) 20 (A) $\checkmark$	5	1.2 2.1 2.1 2.1 2.1 2.1	ALLOW correct equation in any form <b>DO NOT ALLOW</b> marks to be awarded from incorrect equation e.g. $I = P / R$ Award marks if 6.156kW has not been correctly converted to W E.g. ( $I^2 = $ ) 0.4 or 6.156/15.39 $\checkmark \checkmark$ ( $I=$ ) $\sqrt{0.4} \checkmark \checkmark \checkmark$

June	2019
------	------

Q	uesti	on	Answer Marks	Marks AO element	Guidance	
21	(a)	(i)	Area (under line) for thinking (distance) is same as for braking (distance) / area under horizontal line = area under diagonal line / area of rectangle = area of triangle / AW ✓	1	3.1a	ALLOW both areas show 4(m)
		(ii)	A line starting at (0.75, 8) $\checkmark$ Diagonal line drawn parallel to original line and finishing at the x axis $\checkmark$	2	2×1.2	Mark independently
	(b)	(i)	(Idea of measuring) a length/distance on the ruler $\checkmark$	1	1.2	
		(ii)	<b>Any one from:</b> drop ruler from same height above hand ✓	1	1.2	<b>ALLOW</b> suitable answers that refer to reducing named random or systematic errors e.g. measure from same place on the ruler (relative to hand)
			(idea of) change the time taken before dropping the ruler each time $\checkmark$			<b>ALLOW</b> (idea of driver Q being) unaware of when ruler is being dropped
			make sure hand of catcher not moving / fingers are the same distance apart $\checkmark$			ALLOW repeat and calculate mean
	(C)	(i)	<ul> <li>(Store of) KE (in moving car) ✓</li> <li>(transferred thermally)</li> <li>to (store of) thermal energy / heat (in brakes/pads/discs/tyres) ✓</li> </ul>	2	2×2.1	
		(ii)	Any one from: (Idea of) heat dissipated/transferred (to air) more quickly ✓	1	2.1	IGNORE to thermal energy of road/surroundings
			KE is reduced more quickly $\checkmark$			

Question	Answer Ma	Marks AO element	AO element	Guidance	
22 *	Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Detailed description of the structure of the Earth AND Detailed explanation of the trends in Table 22.1. There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Description of the structure of the Earth. AND Explanation of the trends in Table 22.1. OR Detailed description of the structure of the Earth. OR Detailed description of the structure of the Earth. COR Detailed explanation of the trends in Table 22.1. There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence. Level 1 (1–2 marks) A basic description of the structure of the Earth. OR A basic description of the trends in Table 22.1.	6	2×3.2a 2×2.1	<ul> <li>AO3.1a Analyse information and ideas to interpret some basic trends in data <ul> <li>density increases as depth increases</li> <li>speed (of P/S waves) increases as density increases</li> <li>speed (of P/S waves) increases as depth increases</li> </ul> </li> <li>AO2.1 Apply knowledge and understanding of scientific ideas to explain trends in the data <ul> <li>Earth contains layers</li> <li>velocity changes at a boundary</li> <li>particles more tightly packed</li> <li>P is longitudinal, S is transverse</li> </ul> </li> <li>AO3.2a Analyse information and ideas to make judgements about the structure of the Earth <ul> <li>core has highest density</li> <li>core has highest speed for P waves</li> <li>S waves do not travel through the core</li> <li>so the outer core is a liquid</li> <li>pressure highest in core / P = ρgh</li> <li>pressure and so density increase with depth</li> <li>large change in density between mantle and outer core</li> </ul> </li> </ul>	

PMT

## Mark scheme

(	Question		on	Answer	Marks	AO element	Guidance
				<b>0 marks</b> No response or no response worthy of credit.			

Question		Answer	Marks	AO element	Guidance	
23	(a)	FIRST CHECK THE ANSWER ON ANSWER LINE         If answer = 20 (minutes) then award 2 marks         Evidence on graph or elsewhere of half of activity         indicated ✓         (Half life =) 20 (minutes) ✓	2	2×2.2	ALLOW 19-21 (minutes) ✓ ✓	
	(b)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 128 (counts per minute) award 2 marksEvidence of halving /doubling using data $\checkmark$ (Activity =) 128 (counts per minute) $\checkmark \checkmark$	2	2×2.2	e.g. time to go from 64 to 32 (cpm) is 30 (mins) / initial activity = 64 × 2 If answer is 105 to 127 or 129 to 136 then award a maximum of 1 mark $\checkmark$	
	(c)	<ul> <li>Conclusion 1 (incorrect)</li> <li>Any one from:</li> <li>Idea that activity is a random/unpredictable occurrence /</li> <li>AW ✓</li> <li>Idea that low numbers of counts amplify relative variations</li> <li>/ AW ✓</li> <li>Conclusion 2 (incorrect)</li> <li>Any one from:</li> <li>(All radioactive isotopes) have a half-life / AW ✓</li> <li>changes in activity will be small if half-life is long ✓</li> </ul>	2	2×3.1b	<b>ALLOW</b> correct answers referring to background radiation/readings	

C	luesti	on	Answer	Marks	s AO element	GuidanceALLOW 0.3 (s)DO NOT ALLOW answers with all 3 readings usedgiving a mean of (0.28+0.32+0.54) / 3 = 0.38 (s)
24	(a)	(i)	Mean = (0.28 + 0.32) = 0.30 (s) ✓	1	1.2	
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 333 (m/s) award 4 marks	4		ALLOW ECF from 24(a)(i)
			Use of distance = 100 m ✓ Recall (s =) d / t ✓ 100 / 0.3 ✓ (s =) 333 (m/s) (3 sig. figs.)✓		2.1 1.2 2.1 2.1	ALLOW 100 $\div$ 0.38 $\checkmark \checkmark \checkmark$ ALLOW 263 (m/s) $\checkmark \checkmark \checkmark \checkmark$ ALLOW ECF for 3 <sup>rd</sup> and 4 <sup>th</sup> marking points if incorrect distance is used ALLOW 50 $\div$ 0.3 or 166.7 $\checkmark \checkmark$ ALLOW 50 $\div$ 0.38 or 131.6 $\checkmark \checkmark$ ALLOW 132 $\checkmark \checkmark \checkmark$ ALLOW 167 $\checkmark \checkmark \checkmark$
		(iii)	<ul> <li>Any two from:</li> <li>Inconsistent results should be repeated ✓</li> <li>More readings of time should be done and the mean calculated ✓</li> </ul>	2	2×3.3b	
			(Explanation of) clap-echo method ✓ Larger/different distances used ✓			Clap-echo method effectively may gain 2 marks as it also uses the idea of multiple readings.

Question	Answer	Marks	AO element	Guidance
(b)	<ul> <li>idea of 3 echoes/reflections/returning pulses (from each pulse) / AW ✓</li> <li>takes different times to travel (there and back) through different layers/distances/thicknesses / time (interval) between echoes is different/not regular / AW ✓</li> <li>BUT the thicker the layer/the longer the distance, the bigger the time interval/takes longer to travel (there and back) / AW ✓√</li> </ul>	3	3×2.1	<b>ALLOW</b> (idea of measuring) the time taken for the wave to be reflected back (for different layers)

PMT

OCR (Oxford Cambridge and RSA Examinations) The Triangle Building **Shaftesbury Road** Cambridge **CB2 8EA** 

**OCR Customer Contact Centre** 


#### **Education and Learning**


Telephone: 01223 553998 Facsimile: 01223 552627 Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

**Oxford Cambridge and RSA Examinations** is a Company Limited by Guarantee Registered in England Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA Registered Company Number: 3484466 OCR is an exempt Charity









© OCR 2019