Time allowed: 1 hour 45 minutes



GCSE CHEMISTRY

F

Foundation Tier Paper 1F

Specimen 2018

Materials

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed).

Instructions

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 06.3 and 08.3 you need to make sure that your answer:
 - is clear, logical, sensibly structured
 - fully meets the requirements of the question
 - shows that each separate point or step supports the overall answer.

Advice

In all calculations, show clearly how you work out your answer.

Please write clearly, in block cap	oitals.	
Centre number	Candidate number	
Surname		
Forename(s)		
Candidate signature		

- 0 1 This question is about different substances and their structures.
- 0 1 . Draw one line from each statement to the diagram which shows the structure.

[4 marks]

Statement


The substance is a gas


The substance is a liquid


The substance is ionic

The substance is a solid metal

Structure













Figure 1 shows the structure of an element.




0 1 . 2	What is the name of this element?	
	Tick one box.	[1 mark]
	Carbon	
	Chloride	
	Nitrogen	
	Xenon	
0 1 . 3	Why does this element conduct electricity?	
	Tick one box.	[1 mark]
	It has delocalised electrons	
	It contains hexagonal rings	
	It has weak forces between the layers	
	It has ionic bonds	

SPECIMEN MATERIAL Turn over >

Question 1 continues on the next page

Figure 2 shows the structure of an alloy.

Figure 2



0 1 . 4	Explain why this alloy is harder than the pure metal Y .	[2 marks]
0 1 . 5	What percentage of the atoms in the alloys are atoms of X ?	
		[2 marks]

0 1 . 6	What type of substance is a	n alloy?	
	Tick one box.		[1 mark]
	Compound Element Mixture		

Turn over for the next question

0	2
---	---

A student investigated the reactivity of three different metals.

This is the method used.

- 1. Place 1 g of metal powder in a test tube.
- 2. Add 10 cm³ of metal sulfate.
- 3. Wait 1 minute and observe.
- 4. Repeat using the other metals and metal sulfates.

The student placed a tick in **Table 1** if there was a reaction and a cross if there was no reaction.

Table 1

	Zinc	Copper	Magnesium
Copper sulfate	✓	х	✓
Magnesium sulfate	х	х	Х
Zinc sulfate	Х	х	✓

0 2 . 1	What is the dependent variable in the investigation	tion?
	Tick one box.	[1 mark]
	Time taken	
	Type of metal	
	Volume of metal sulfate	
	Whether there was a reaction or not	
0 2 . 2	Give one observation the student could make t	hat shows there is a reaction between
	zinc and copper sulfate.	
		[1 mark]

 $\fbox{ \ \ \, 0\ \ \, 2\ \ \, }$. The student used measuring instruments to measure some of the variables.

	Draw one line from each variable to the measuring instrument used to measure the variable.		
vanasio.			[2 marks]
Varia	able	Measuring instrument	
		Balance	
Mass of me	etal powder	Measuring cylinder	
		Ruler	
Volume of m	netal sulfate	Burette	
		Thermometer	
		Test tube	
0 2 . 4 Use the resul of reactivity.	ts shown in Table 1 to place zind	c, copper and magnesiun	n in order [1 mark]
Most reactiv	e		
Least reactiv	/e		
0 2 . 5 Suggest one	e reason why the student should r	not use sodium in this inv	estigation. [1 mark]

0 2 . 6	Which metal is found in the Earth as the metal itself?	[1 mark]
	Tick one box.	[1 mark]
	Calcium	
	Gold	
	Lithium	
	Potassium	
0 2 . 7	Iron is found in the Earth as iron oxide (Fe ₂ O ₃).	
	Iron oxide is reduced to produce iron.	
	Balance the equation for the reaction.	[1 mark]
		[:
	$__Fe_2O_3$ + $__C$ \rightarrow $__Fe$ + $__CO_2$	2

0 2 . 8	Name the element used to rec	duce iron oxide.	[1 mark]
0 2 . 9	What is meant by reduction? Tick one box.		[1 mark]
	Gain of iron Gain of oxide Loss of iron		
	Loss of oxygen		

Turn over for the next question

0 3


Lithium carbonate reacts with dilute hydrochloric acid.

A group of students investigated the volume of gas produced.

This is the method used.


- 1. Place a known mass of lithium carbonate in a conical flask.
- 2. Measure 10 cm³ of dilute hydrochloric acid using a measuring cylinder.
- 3. Pour the acid into the conical flask.
- 4. Place a bung in the flask and collect the gas as shown in Figure 3.

Figure 3



0 3 . 1 Figure 4 shows the measuring cylinder.

Figure 4



What volume of gas has been collected?

[1 mark]

Volume = cm³

Question 3 continues on the next page

0 3 . 2 Table 2 shows the students' results.

Table 2


Mass of lithium carbonate in g	Volume of gas in cm ³
0.0	0
0.1	22
0.2	44
0.3	50
0.4	88
0.5	96
0.6	96
0.7	96

On **Figure 5**:

- Plot these results on the grid.
- Complete the graph by drawing two straight lines of best fit.

[4 marks]





0 3 . 3	What are two possible reasons for the anomalous result? Tick two boxes.	[2 marks]
	Too much lithium carbonate was added.	
	The bung was not pushed in firmly enough.	
	There was too much water in the trough.	
	The measuring cylinder was not completely over the delivery	
	The conical flask was too small.	

0 3 . **4** Describe the pattern the graph shows up to 0.4 g of lithium carbonate added.


[2 marks]

Lithium carbonate decomposes when heated.

The equation shows the decomposition of lithium carbonate.

$$\text{Li}_2\text{CO}_3$$
 (s) \rightarrow Li_2O (s) + CO_2 (g)

Figure 6 shows the apparatus a student used to decompose lithium carbonate.




0 3 . 5	Why does the limewater bubble?	[1 mark]
0 3 . 6	The student repeated the experiment with potassium carbonate. The limewater did not bubble. Suggest why there were no bubbles in the limewater.	[1 mark]

Turn over for the next question

0 4 A student investigated the reactivity of different metals.

The student used the apparatus shown in Figure 7.

Figure 7



The student used four different metals.

The student measured the temperature rise for each metal three times.

The student's results are shown in **Table 3**.

Table 3

Metal	Temperature rise in °C			Mean	
Wetai	Test 1	Test 2	Test 3	temperature rise in °C	
Calcium	17.8	16.9	17.5		
Iron	6.2	6.0	6.1	6.1	
Magnesium	12.5	4.2	12.3	12.4	
Zinc	7.8	8.0	7.6	7.8	

0 4 . 1	Give two variables the student should control so that the investigation is a	fair test. [2 marks]
	1	
	2	
0 4 . 2	One of the results for magnesium is anomalous.	
	Which result is anomalous?	
	Suggest one reason why this anomalous result was obtained.	[2 marks]
	Result	
	Reason	
0 4 . 3	Calculate the mean temperature rise for calcium.	
	Calculate the mean temperature rise for calculari.	[1 mark]
	Mean temperature rise =	°C

Question 4 continues on the next page

0 4 . 4	The temperature rose when the metals were added to sulfuric acid.
	Give one other observation that might be made when the metal was added to sulfuric acid. How would this observation be different for the different metals?
	[2 marks]
0 4 . 5	Aluminium is more reactive than iron and zinc but less reactive than calcium and magnesium.
	Predict the temperature rise when aluminium is reacted with dilute hydrochloric acid. [1 mark]
-	Temperature rise =°C

Turn over for the next question

0 5

Figure 8 shows magnesium burning in air.

Figure 8



0 5 . 1 Look at Figure 8.

How can you tell that a chemical reaction is taking place?

[1 mark]

0 5 . 2 Name the product from the reaction of magnesium in Figure 8.

[1 mark]

0 5 . 3	The magnesium needed heating before it would react.	
	What conclusion can you draw from this?	[1 mark]
	Tick one box.	
	The reaction is reversible	
	The reaction has a high activation energy	
	The reaction is exothermic	
	Magnesium has a high melting point	
0 5 . 4	A sample of the product from the reaction in Figure 8 was added to water and shaken.	I
	Universal indicator was added.	
	The universal indicator turned blue.	
	What is the pH value of the solution?	[1 mark]
	Tick one box.	[
	1	
	4	
	7	
	9	

Question 5 continues on the next page

0 5 . 5	Why are nanoparticles effective in very small quantities?	
	Tick one box.	[1 mark]
	They are elements	
	They are highly reactive	
	They have a low melting point	
	They have a high surface area to volume ratio	
0 5 . 6	Give one advantage of using nanoparticles in sun creams.	[1 mark]
0 5 . 7	Give one disadvantage of using nanoparticles in sun creams.	[1 mark]


0 5 . 8	A coarse particle has a diameter of 1×10^{-6} m. A nanoparticle has a diameter of 1.6×10^{-9} m.
	Calculate how many times bigger the diameter of the coarse particle is than the diameter of the nanoparticle.
	[2 marks]
_	
_	
_	

Turn over for the next question

0 6 A student investigated the reaction of copper carbonate with dilute sulfuric acid.

The student used the apparatus shown in Figure 9.

Figure 9



0 6 . 1 Complete the state symbols in the equation.

[2 marks]

$$CuCO_3$$
 (.....) + H_2SO_4 (aq) \rightarrow $CuSO_4$ (aq) + H_2O (.....) + CO_2 (g)

O 6 . 2 Why did the balance reading decrease during the reaction?

Tick one box.

The copper carbonate broke down.

A salt was produced in the reaction.

A gas was lost from the flask.

Water was produced in the reaction.

0 6 . 3	Describe a safe method for making pure crystals of copper sulfate from copper carbonate and dilute sulfuric acid. Use the information in Figure 9 to help you.		
	In your method you should name all of the apparatus you will use.		
	[6 marks]		

Question 6 continues on the next page


0 6 . 4 The percentage atom economy for a reaction is calculated using:
Relative formula mass of desired product from equation × 100 Sum of relative formula masses of all reactants from equation
The equation for the reaction of copper carbonate and sulfuric acid is: $CuCO_3 \ + \ H_2SO_4 \rightarrow \ CuSO_4 + \ H_2O \ + \ CO_2$
Relative formula masses : $CuCO_3 = 123.5$; $H_2SO_4 = 98.0$; $CuSO_4 = 159.5$
Calculate the percentage atom economy for making copper sulfate from copper carbonate.
[3 marks
Atom economy = %

0 6 . 5	Give one reason why is it important for the percentage atom economy of a to be as high as possible.		
	to so do mgm do possion	[1 mark]	

Turn over for the next question

The electronic structure of the atoms of five elements are shown in **Figure 10**.

The letters are **not** the symbols of the elements.



Choose the element to answer questions **07.1** to **07.5**. Each element can be used once, more than once or not at all.

Use the periodic table to help you.

O 7 . 1 Which element is hydrogen?

Tick one box.

A B C D E

O 7 . 2 Which element is a halogen?

Tick one box.

A B C D E

0 7 . 3	Which element is a metal in the same of th	group of the p	eriodic table a	as element A ? [1 mark]
0 7 . 4	Which element exists as single atoms? Tick one box. B C D	E		[1 mark]
0 7.5	There are two isotopes of element A . in Table 4 .		about the two	isotopes is shown
	Mass number of the isotope	6	7	
	Percentage abundance	92.5	7.5	
	Use the information in Table 4 to cal Give your answer to 2 decimal place		ative atomic n	nass of element A. [4 marks]
	Relative atomic mas	s =		

0 8	An atom of aluminium has th	e symbol ²⁷ Al	
0 8 . 1	Give the number of protons,	neutrons and electrons in this atom of alum	inium.
			[3 marks]
	Number of protons Number of neutrons Number of electrons		
0 8 . 2	Why is aluminium positioned in	n Group 3 of the periodic table?	
			[1 mark]
-			

0 8 . 3 In the periodic table, the transition elements and Group 1 elements are metals.

Some of the properties of two transition elements and two Group 1 elements are shown in **Table 5**.

Table 5


	Transition elements		Group 1 elements	
	Chromium	Iron	Sodium	Caesium
Melting point in°C	1857	1535	98	29
Formula of oxides	CrO Cr_2O_3 CrO_2 CrO_3	FeO Fe ₂ O ₃ Fe ₃ O ₄	Na ₂ O	Cs ₂ O

Use your own knowledge and the data in Table 5 to compare the chemical and physical properties of transition elements and Group 1 elements.

[6 marks]

O 9 Figure 11 shows the outer electrons in an atom of the Group 1 element potassium and in an atom of the Group 6 element sulfur.

Figure 11



0 9 . 1	Potassium forms an ionic compound with sulfur.

Describe what happens when two atoms of potassium react with one atom of sulfur.


[5 marks]

Give your answer in terms of electron transfer.

Give the formulae of the ions formed.

0 9 . **2** The structure of potassium sulfide can be represented using the ball and stick model in **Figure 12**.

Figure 12



The ball and stick model is **not** a true representation of the structure of potassium sulfide.

Give one reason why.

[1 mark]


Question 9 continues on the next page

0 9 . 3 Sulfur can also form covalent bonds.

Complete the dot and cross diagram to show the covalent bonding in a molecule of hydrogen sulfide.

Show the outer shell electrons only.

[2 marks]



0	9	4	Calculate the relative formula mass (M_r) of aluminium sulfate $Al_2(SO_4)_3$
_	_		2(4/0

Relative atomic masses (A_r): oxygen = 16; aluminium = 27; sulfur = 32

			[2 marks]
-			

Relative formula mass =

0 9 . 5 Covalent compounds such as hydrogen sulfide have low melting points and do **not** conduct electricity when molten.

Draw **one** line from each property to the explanation of the property.

Low melting point

Does not conduct electricity when molten

[2 marks]

Property Explanation of property

Electrons are free to move

There are no charged particles free to move

lons are free to move

Weak intermolecular forces of attraction

Bonds are weak

Bonds are strong

0 9 . 6 Ionic compounds such as potassium sulfide have high boiling points and conduct electricity when dissolved in water.

Draw **one** line from each property to the explanation of the property.


[2 marks]

Property Explanation of property Electrons are free to move There are no charged particles free to move High boiling point lons are free to move Weak intermolecular forces of attraction Conduct electricity when molten Bonds are weak Bonds are strong

1 0	Rock salt is a mixture of sand and salt.
	Salt dissolves in water. Sand does not dissolve in water.
	Some students separated rock salt.
	 Place the rock salt in a beaker. Add 100 cm³ of cold water. Allow the sand to settle to the bottom of the beaker. Carefully pour the salty water into an evaporating dish. Heat the contents of the evaporating dish with a Bunsen burner until salt crystals start to form.
10.1	Suggest one improvement to step 2 to make sure all the salt is dissolved in the water. [1 mark]
10.2	The salty water in step 4 still contained very small grains of sand. Suggest one improvement to step 4 to remove all the sand. [1 mark]
10.3	Suggest one safety precaution the students should take in step 5. [1 mark]
	Question 10 continues on the next page

Another student removed water from salty water using the apparatus in Figure 13.





1	0].[4	Describe how this technique works by referring to the processes at	A and B.
					[2 marks]
			_		
			_		
			_		
			_		
	1	-			
1	0].[5	What is the reading on the thermometer during this process?	
					[1 mark]
					°C

END OF QUESTIONS

There are no questions printed on this page

Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.

Figure 8: Bunsen burner © Science Photo Library