Time allowed: 1 hour 45 Minutes



# GCSE CHEMISTRY

F

Foundation Tier Chemistry 2F

# Specimen 2018

#### **Materials**

For this paper you must have:

- a ruler
- a calculator
- the periodic table (enclosed).

#### Instructions

- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.

#### Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.
- When answering questions 11.3 and 12.2 you need to make sure that your answer:
  - is clear, logical, sensibly structured
  - fully meets the requirements of the question
  - shows that each separate point or step supports the overall answer.

## **Advice**

In all calculations, show clearly how you work out your answer.

Please write clearly, in block capitals.						
Centre number	Candidate number					
Surname						
Forename(s)						
Candidate signature						

0 1 . 1	This question is about the work substant Tick two boxes.  Air		alysis. [2 mark	(S)
	Carbon dioxide			
	Graphite			
	Sodium Chloride			
	Steel			
0 1 . 2	Draw <b>one</b> line from  Context	each context to the	Meaning  A substance that has had nothing added to it	(S
	Pure substance in chemistry		A single element or a single compound  A substance containing only atoms which	
		1	have different numbers of protons	
	Pure substance in everyday life		A substance that can be separated by filtration	
			A useful product made by mixing substances	
			substances	

0 1 . 3	What is the test for chlorine gas?		[1 mark]
	Tick <b>one</b> box.		[
	A glowing splint relights		
	A lighted splint gives a pop		
	Damp litmus paper turns white		
	Limewater turns milky		
0 1 . 4	A student tested a metal chloride se	olution with sodium hydroxide solution.	
	A brown precipitate formed.		
	What was the metal ion in the meta	d chloride solution?	F4
	Tick <b>one</b> box.		[1 mark]
	Calcium		
	Copper(II)		
	Iron(II)		
	Iron(III)		

0 2	The word equation shows the reaction between anhydrous cobalt chloride and water.					nd water.
	anhydrous cobalt chloride (blue)	+	water	<del></del>	hydrated cobalt chloride (pink)	
0 2 . 1	Name the type of read	ction sh	own by the sigr	n <del></del>		[1 mark]
0 2 . 2	When the student ad	ded wa	iter to anhydrou	ıs cobalt chloric	de what happened	<b>!</b> ?


[1 mark]

	The student's results a	ire snown in Table 1	l.	
			Table 1	
		Trial 1	Trial 2	Trial 3
	Temperature rise in °C	8.5	8.2	8.2
	Calculate the mean ter	mperature rise.		[1 mark]
				°C
		Temperature =	=	
0 2 . 4	When water was adde			
0 2 . 4		ed to anhydrous cob	alt chloride an exothe	ermic reaction took

**0 3** Gold is mixed with other metals to make jewellery.

Figure 2 shows the composition of different carat values of gold.

Figure 2



0 3 . 1 What is the percentage of gold in 12 carat gold?

[1 mark]

Tick one box.

12 % 30 % 50 % 80 %

0 3 . 2	Give the percentage of silver in 18 carat gold.  [1 r	nark]
	Use <b>Figure 2</b> to answer this question.	
	Percentage =	%
0 3 . 3	Suggest <b>two</b> reasons why 9 carat gold is often used instead of pure gold to make jewellery.	
		arks]
	1	
	2	


_		•	4 .		
lurn (	ver '	tor '	the	next	auestion

**0 4** A student investigated a food colouring using paper chromatography.

This is the method used.

- 1. Put a spot of food colouring **X** on the start line.
- 2. Put spots of three separate dyes, **A**, **B** and **C**, on the start line.
- 3. Place the bottom of the paper in water and leave it for several minutes.

0 4 . 1 Figure 3 shows the apparatus the student used.



Give two mistakes the student made in setting up the experiment.

[2 marks]


Tick two boxes.

The lid was on the beaker.	
The paper did not touch the bottom of the beaker.	
The spots were too small.	
The start line was drawn in ink.	
The water level was above the spots.	

Another student set the experiment up correctly.

Figure 4 shows the student's results.

Figure 4



0 4 . 2 How many dyes were in X?

[1 mark]

Tick one box.

1	3	4	6


	ye, <b>A</b> , <b>B</b> or <b>C</b> , is <b>not</b> in <b>X</b> ?  our answer in the box.	[1 ma	rk]
	ure <b>4</b> to complete <b>Table 1</b> .  e the value for R <sub>f</sub> for dye <b>A</b> .	[5 mark	ks]
	Tab	le 1	
		Distance in mm	
	Distance moved by dye A		
	Distance from start line to solvent	it front	
Use the	equation:		
	R <sub>f</sub> = <u>distance moved by dye</u> distance moved by solve		
Give you	r answer to two significant figures.		
	R <sub>f</sub> value = _		

0 5 . 1	Greenhouse gases affect the tem Which gas is a greenhouse gas? Tick <b>one</b> box.	[1 mark]
	Argon Methane Nitrogen Oxygen	
	An increase in global temperature	
	What is <b>one</b> possible effect of clim Tick <b>one</b> box.	[1 mark]
I	Deforestation	
(	Global dimming	
;	Sea levels rising	
`	Volcanic activity	

Carbon dioxide is also a greenhouse gas.

**Figure 5** shows how the concentration of carbon dioxide in the atmosphere has changed since 1850.

Figure 5



0 5 . 3	Which process is the reason for the change in carbon dioxide concentration on <b>Figure 5</b> ?		
	Tick <b>one</b> box.	[1 m	nark]
	Burning of fossil fuels		
	Carbon capture		
	Formation of sedimentary rocks		
	Photosynthesis		

Question 5 continues on the next page

0	5 . 4	Give three conclusions that can be made from Figure 5.	
			[3 marks]
		1	
		2	
		3	

0 6

Table 2 gives information about four alcohols.

Table 2

Alcohol	Formula	Melting point in °C	Boiling point in °C
Methanol	CH₃OH	-94	65
Ethanol	CH₃CH₂OH	-118	78
Propanol	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> OH	-129	97
Butanol	CH <sub>3</sub> CH <sub>2</sub> CH <sub>2</sub> CH <sub>2</sub> OH	-89	118

0 6 . 1	Which alcohol in <b>Table 2</b> is liquid over the greatest temperature range?	[1 mark]
0 6 . 2	Which statement is correct?  Tick one box.	[1 mark]
	A molecule of ethanol has 5 hydrogen atoms  Butanol has the highest boiling point  Methanol has the largest molecules  Propanol has the highest melting point	

Question 6 continues on the next page

0 6 . 3 A molecule of methanol has five single covalent bonds.


Draw the missing bonds in **Figure 6** to complete the displayed formula for methanol.

[1 mark]

Figure 6



Figure 7 shows a flow diagram of the process to produce ethanol.



 0 6 . 4
 Complete the word equation for the reaction to produce ethanol.

 [1 mark]


 + \_\_\_\_\_ → ethanol

0 6 . 5	What happens to the unreacted ethene?	[1 mark]
0 6 . 6	Wine contains ethanol. A bottle of wine was left open in air.	
	After a few days, the wine tasted of vinegar.  Vinegar is a solution of ethanoic acid in water.	
	Explain how oxidation causes the wine to taste of vinegar after a few days.	[3 marks]

0 7 . 1	Nitrogen and hydrogen are passed over iron to produce ammonia in the Haber Process.	<b>;</b>
	Balance the equation for the reaction.	[1 mark]
	$N_2$ + $H_2$ $\rightarrow$ $NH_3$	[1 mark]
0 7.2	What is iron used for in the Haber process?	
	Tick <b>one</b> box.	[1 mark]
	catalyst	
	fuel	
	monomer	
	reactant	

**0 7 . 3 Figure 8** shows how the percentage yield of ammonia changes with pressure.

Figure 8



Describe the trend shown in Figure 8.

[1 mark]

**0 7 . 4** Use **Figure 8** to determine the difference in percentage yield of ammonia at 150 atmospheres pressure and 250 atmospheres pressure.

[2 marks]

Difference in percentage yield of ammonia = %

Turn over for the next question

0 8	This question is about hydrocarbons.	
08.1	The names and formulae of three hydrocarbons in the same homologous are:	series
	$\begin{array}{lll} \text{Ethane} & C_2 H_6 \\ \text{Propane} & C_3 H_8 \\ \text{Butane} & C_4 H_{10} \end{array}$	
	The next member in the series is pentane.	
	What is the formula of pentane?	[1 mark]
0 8 . 2	Which homologous series contains ethane, propane and butane?	[1 mark]
	Tick <b>one</b> box.	[ i iliai kj
	Alcohols	
	Alkanes	
	Alkenes	
	Carboxylic acids	
0 8 . 3	Propane $(C_3H_8)$ is used as a fuel.	
	Complete the equation for the complete combustion of propane.	[2 marks]
	$C_3H_8$ + $5O_2$ $\rightarrow$ 3 + 4	

Table 3 gives information about the pollutants produced by cars using petrol as a fuel.  Table 3  Fuel Relative amounts of pollutants
petrol as a fuel.  Table 3  Fuel Relative amounts of pollutants
petrol as a fuel.  Table 3  Fuel Relative amounts of pollutants
Fuel Relative amounts of pollutants
· · · · · · · · · · · · · · · · · · ·
Oxides of Particulate Carbon dioxiden matter
Diesel 31 100 85
Petrol 23 0 100

Question 8 continues on the next page

0 8 . 6 Pollutants cause environmental impacts.

Draw **one** line from each pollutant to the environmental impact caused by the pollutant.

[2 marks]


Pollutant	Environmental impact caused by the pollutant	
	Acid rain	
Oxides of nitrogen	Flooding	
	Global dimming	
Particulate matter	Global warming	
	Photosynthesis	

0 9

A student investigated the rate of reaction between marble chips and hydrochloric acid.

Figure 9 shows the apparatus the student used.

Figure 9



0 9 . 1 What is	s <b>A</b> ?	[1 mark
Tick o	ne box.	[1 mark
cotton v	vool	
limesto	ne	
poly(eth	iene)	
rubber	oung	

Question 9 continues on the next page

0 9 . 2 Table 4 shows the student's results for one investigation.


Table 4

Time in s	Mass lost in g
0	0.0
20	1.6
40	2.6
60	2.9
80	3.7
100	4.0
120	4.0

- On **Figure 10**:
   Plot these results on the grid.
- Draw a line of best fit.

[3 marks]

Figure 10



0	9		3	Use <b>Figure</b>	<b>10</b> to	complete	Table 5
---	---	--	---	-------------------	--------------	----------	---------

[2 marks]

Table 5

Mass lost after 0.5 minutes	g
Time taken to complete the reaction	s

0 9 . 4 The equation for the reaction	n is:
---------------------------------------	-------

$$2HCI(aq) \quad + \quad CaCO_3(s) \quad \rightarrow \quad CaCI_2(aq) \quad + \quad H_2O(I) \quad + \quad CO_2(g)$$

Explain why there is a loss in mass in this investigation.

[2 marks]

Question 9 continues on the next page

0 9 . 5	Another student investigated the rate of a diff	erent reaction.		
	Table 6 shows the results from the different reaction.			
	Table 6			
	Mass lost when the reaction was complete	9.85 g		
	Time taken to complete the reaction	2 minutes 30 seconds		
	Calculate the mean rate of the reaction using 1	Fable 6 and the equation:	[2 marks]	
	mean rate of reaction =	mass lost in g time taken in s		
	Give your answer to two decimal places.			
	Mean rate of reaction = _		g/s	
09.6	The student measured the change in mass of to the Describe another method, other than measuring reactions, that the student could have used to marble chips and hydrochloric acid.	ng the change in mass of th		

0	9	. 7	Another student planned to investigate the effect of temperature on the rate of reaction.	
			The student predicted that the rate of reaction wo was increased.	ould increase as the temperature
			Give <b>two</b> reasons why the student's prediction is	correct. [2 marks]
			Tick <b>two</b> boxes.	
			The particles are more concentrated.	
			The particles have a greater mass.	
			The particles have a larger surface area.	
			The particles have more energy.	
			The particles move faster.	

1 0	Water from a lake in the UK is used to produce drinking water.
10.1	What are the two main steps used to treat water from lakes?  Give a reason for each step.  [2 marks]
	Step 1
	Reason
	Step 2 Reason
	Reason
1 0 . 2	Explain why it is more difficult to produce drinking water from waste water than from water in lakes.  [3 marks]

1 0 . 3 Some countries make drinking water from sea water.


Complete **Figure 11** to show how you can distil salt solution to produce and collect pure water.

Label the following:

- pure water
- salt solution

[3 marks]

Figure 11



Question 10 continues on the next page

1 0 . 4	How could the water be tested to show it is pure?  Give the expected result of the test for pure water.	[2 marks]
1 0 . 5	Why is producing drinking water from sea water expensive?	[1 mark]


1 1

Figure 12 shows six test tubes a student set up to investigate the rusting of iron.

This is the method used for each test tube.

- 1. Measure the mass of the nail using a balance.
- 2. Leave the nail in the test tube for 6 days.
- 3. Measure the mass of the nail after 6 days.

Figure 12



Question 11 continues on the next page

**Table 7** shows the student's measurements.

Table 7

Test tube	Mass of nail in g	Mass of nail after 6 days in g
1	8.45	8.91
2	8.46	8.46
3	8.51 8.51	
4	9.65 9.65	
5	9.37	9.45
6	9.79	9.79

1 1 . 1	What is the resolution of	of the balance the student used?	[1 mark]
	Tick <b>one</b> box.		[1 mark]
	$1 \times 10^{-3}  \mathrm{g}$		
	$1 \times 10^{-2}  g$		
	$1 \times 10^{-1} g$		
	$1 \times 10^2 g$		


1 1 . 2	Calculate the difference in percentage increase in mass after 6 days of the test tube <b>1</b> and the nail in test tube <b>5</b> .	e nail in
	Give your answer to <b>three</b> significant figures.	[4 marks]
-		
-		
	Difference in percentage increase in mass =	%

Question 11 continues on the next page

1 1 . 3	Use the results of the student's investigations to draw conclusions about the factors affecting the rusting of iron. Include an evaluation of the effectiveness of different coatings at preventing the rusting of iron.	
	[6 marks]	
1 1 . 4	Rust is hydrated iron(III) oxide.	
	Complete the word equation for the reaction.	
	[2 marks]	
	+ + → hydrated iron(III) oxide	

1 2 Plastic and glass can be used to make milk bottles.

**Figure 13** shows the percentage of milk bottles made from glass between 1975 and 2010.



1 2 . 1 Plot the points and draw a line on **Figure 13** to show the percentage of milk bottles made from materials **other** than glass between 1975 and 2010.

[3 marks]

Question 12 continues on the next page

1 2 . 2 Table 8 gives information about milk bottles.

Table 8

	Glass milk bottle	Plastic milk bottle
Raw materials	Sand, limestone, salt	Crude oil
Bottle material Soda-lime glass		HD poly(ethene)
Initial stage in Limestone and salt production of bottle material Limestone and salt used to produce sodium carbonate.		Production of naphtha fraction.
Maximum temperature in production process	1600 °C	850 °C
Number of times bottle can be used for milk	25	1
Size(s) of bottle	0.5 dm <sup>3</sup>	0.5 dm <sup>3</sup> , 1 dm <sup>3</sup> , 2 dm <sup>3</sup> , 3 dm <sup>3</sup>
Percentage (%) of recycled material used in new bottles	50 %	10 %

Evaluate the production and use of bottles made from soda-lime glass and those made from HD poly(ethene).

Use the information given and your knowledge and understanding to justify your choice of material for milk bottles.

		[6 marks]

# **END OF QUESTIONS**

There are no questions printed on this page
---

### Copyright information

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements in future papers if notified. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2016 AQA and its licensors. All rights reserved.